

Certificate of constancy of performance

1070 - CPR - 508

In compliance with regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Glued laminated timber

Strength class: GL 20h, GL 20c, GL 22h, GL 22c, GL 24h, GL 24c, GL 26h, GL 26c,
GL 28h, GL 28c, GL 30h, GL 30c, GL 32h, GL32c

Reaction to fire class: D-s2,d0.

Formaldehyd class: E1

Adhesive Type: I according to EN 16254 (EPI)

Wood species: Spruce (*Picea abies*), Pine (*Pinus sylvestris*)

Durability Class: 4 according to EN 350-2

produced by

Nordlam GmbH
Gasereistrasse 1
DE-39126 Magdeburg

and produced in the manufacturing plant

Nordlam 2.0
Gasereistrasse 1
DE-39126 Magdeburg

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14080:2013

under system 1+ for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 2016-06-02 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

2016-06-02



Hilde Tellesbø
Managing Director